


Grinding Heads 2016-1.1

UK

OBP Brno, spol. s r.o.
Hvezdoslavova 53b
627 00 Brno
Tel: +420 548 214 046
E-mail: info@obpbrno.cz
www.obpbrno.cz

marcr**ist**
Experience the difference



Grinding Heads 2016-1.1

www.marcrist.com

Marcryst Money Back Guarantee



We trust in our products and their performance, we would like you to do the same. That's why we offer the outstanding Marcryst Brand Guarantee:

Test any Marcryst products for 30 days, put them through the toughest tasks. If you are not totally satisfied with our products, you get your money back. Guaranteed!

Marcrist's Performance Levels

Marcrist appreciates that each user has different needs.

To help you find the right tools for your application Marcrist offers three performance levels.

We offer each user what he wants at every price level, backed by our brand guarantee:

Each product is best in its class. If you are not totally satisfied, you get your money back. Guaranteed!

«Premium Professional»

850 Range

The best Diamond Tool you have ever used, or your money back!

Marcrist's most innovative products. Developed for professional and specialist use. Designed to deliver maximum cutting/drilling speed, precision and tool-life; even in the most challenging of applications. Offers outstanding cost-per-cut or hole-drilled ratio.

«Professional»

750 Range

Top quality, top performance at a competitive price.

Developed for general purpose, daily use. The professional range offers high cutting/drilling speeds, precision and tool-life.


«Standard»

350 Range

Quality at an unbelievable price.

Developed for occasional use. The standard range offer a good combination of performance and price for standard cutting and drilling applications.

Helping you Choose the Right Product: Product Performance Chart



Marcrisr understand that selecting the right diamond tools for your use may seem complex even for the most experienced professional.

With many products looking alike there is often very little information available to help you choose the right tool.

Marcrisr product rating charts have been determined by our R&D specialists, with over 120 combined years of technical diamond experience. They are designed to assist the professional in selecting the right product for their use, based on:

- **Product speed** (how quickly the product cuts or drills)⁽²⁾
- **Product life** (the number of cuts / holes the product is expected to achieve)⁽²⁾

⁽²⁾ Product recommendations may vary according to user and/or machine and/or materials.

Marcrisr reserves the right to change any combination of the product specifications, including but not exclusive to: product details, segment heights, product details, product colours, pricing, and product availability without notice. For any printing errors Marcrisr accept no liability. Color variations may occur at any time. Country-specific general conditions of sale and are up to date product specifications available from Marcrisr upon request.

Always here for you

Need Technical Support?

Contact Marcryst and ask for «Technical Support» for any questions or problems related to diamonds.

When you ring our Technical Support line you will automatically speak to experts with a combined diamond knowledge of over 113 years*.

If we cannot solve your problem over the telephone we will normally have an engineer on your site within 48 hours.



Technical Support Helpline:
UK: +44 (0) 1302 893 253



Like us on Facebook

Marcryst International Limited


Follow us on Twitter

Marcryst Tools



Keep up-to-date whilst on the go! Check out our road shows and event date. We're likely to be holding product demonstrations at a store near you!

We'd love to hear your feedback! Let us know what you think of our products and services.



Marcryst Homepage

Can't find the information you're looking for in our catalogue? Have a look online! Take advantage of our Product-Selector-Tool to help you choose the best product for your application. www.marcryst.com

Marcryst YouTube Channel

Keep up to date with our latest product films. Packed with useful application tips, and product features and benefits.

www.youtube.com/MarcrystTools



Grinding Heads for concrete grinders



HF850C SilentMAX

The best, fastest, and quietest precision diamond grinding head with the lowest cost-per-cut you have ever used, or your money back!



Noise and vibrations reduced



Precision cut



HF850C Precision Grinding Head



Why buy me:

- Fine grinding • Clean, smooth surface • Long life • Fast
- SilentMAX noise and vibration reduced

Application:

- Precision Grinding • Fine Grinding • Levelling • Cleaning • Edge Grinding



Concrete



Natural stone



Plaster



Tile adhesive



Granite

| | Speed ⁽²⁾ | Life ⁽²⁾ |
|---|----------------------|---------------------|
| A | A | A |
| B | | |
| C | | |
| D | | |
| E | | |
| F | | |
| G | | |

| Part Number | Description | Ø | Fitting | Machine Type |
|---------------|-----------------------|--------|----------|---------------------|
| 1993.0100.15C | For Concrete Grinders | 100 mm | 15,0 mm | Makita PC 1100 |
| 1993.0125.22C | | 125 mm | 22,23 mm | Bosch CBR 14C |
| | | | | Makita PC 5001C |
| | | | | Eibenstock EBS 1254 |
| | | | | Eibenstock 1802 SH |
| | | | | Hilti DCG125-S |
| | | | | Flex LDC 1709 Etc |
| 1993.0125.25C | | 125 mm | 25,0 mm | Protool RGP 130 Etc |
| 1990.0180.22C | | 180 mm | 22,23 mm | Flex LD 3206 |
| 1993.0100.14C | For Angle Grinders | 100 mm | M14 | |
| 1993.0100.22C | | 100 mm | 22,23 mm | |
| 1993.0115.22C | | 115 mm | 22,23 mm | All Angle Grinders |
| 1993.0125.22C | | 125 mm | 22,23 mm | |
| 1993.0180.22C | | 180 mm | 22,23 mm | |

Grinding Heads for concrete grinders



HU 850 C for Concrete/Render/Plaster/Tile adhesive



Why buy me:

- Extreme long life • Extreme speed • Universal

Application:

- Levelling • Grinding • Cleaning • Sanding • Removing










Concrete (hard)




Render & plaster (soft)



Tile adhesive

| Part Number | Description | Ø | Fitting | Machine Type |
|---|---|-------------------|----------|---|
|  1990.244.135P | 3 Set For RGP 3 Concrete Grinders | 2x44mm/ 1x35mm | Special | Protool RGP 3 |
|  1990.0080.P | For RGP80 Concrete Grinders | 80 mm | Special | Protool RGP 80 |
|  1990.0125.22C | For Concrete Grinders | 125 mm | 22,23 mm | Bosch CBR 14 C Makita PC 5001C Eibenstock EBS 1254 Eibenstock 1802 SH Hilti DCG125-S Flex LDC 1709 Etc |
|  1990.0125.25C | For RGP130 Concrete Grinders | 125 mm | 25,0 mm | Protool RGP 130 Etc |
|  1990.0150.19C | For Hilti Concrete Grinders | 150 mm | 19,0 mm | Hilti DG 150 |
|  1990.0150.P | For RGP150 Concrete Grinders | 150 mm | Special | Protool RGP 150 |
|  1990.0180.22C | For Flex Concrete Grinders | 180 mm | 22,23mm | Flex LD 3206 Plastruc Etc |



⁽¹⁾For further Segment height information see page 2. ⁽²⁾Product recommendations may vary according to user and/or machine and/or materials.

⁽³⁾GB Patent-No. GB2382544. All prices exclude VAT.

Grinding Heads for concrete grinders



HP 850 C for Paint Applications



Why buy me:

- Extreme speed • Coarse finish

Application:

- Cleaning • Levelling • Thick coatings




Paint



Carpet glue


Thermoplast
Bitumen

Graffiti



| Part Number | Description | Ø | Fitting | Machine Type |
|---------------|-----------------------|--------|----------|---------------------|
| 1991.0125.22C | | 125 mm | 22,23 mm | Bosch CBR 14C |
| | | | | Makita PC 5001C |
| | For Concrete Grinders | | | Eibenstock EBS1254 |
| | | | | Eibenstock 1802 SH |
| | | | | Hilti DCG125-S |
| | | | | Flex LDC 1709 Etc |
| 1991.0125.25C | For Concrete Grinders | 125 mm | 25,0 mm | Protool RGP 130 Etc |

HPCD 850 C for Thick Coatings



Why buy me:

- Extremely aggressive • Extreme speed • Removes thick coatings

Application:

- Removing • Cleaning • Carpet Residue • Thick Coatings



Paint




Carpet glue



Thick coatings



Carpet residue



| Part Number | Description | Ø | Fitting | Machine Type |
|--------------|-----------------------|--------|----------|------------------------------|
| 1996.0125.22 | | 125 mm | 22,23 mm | Bosch CBR 14C |
| | | | | Makita PC 5001C |
| | For Concrete Grinders | | | Eibenstock EBS 1254 |
| | | | | Eibenstock 1802 SH |
| | | | | Hilti DCG125-S |
| | | | | Flex LDC 1709 Etc |
| 1996.0125.25 | For Concrete Grinders | 125 mm | 25,0 mm | Protool RGP 130 |
| 1996.0180.22 | For Concrete Grinders | 180 mm | 22,23 mm | Flex LD 3206 Plastruc Etc |

⁽¹⁾For further Segment height information see page 2. ⁽²⁾Product recommendations may vary according to user and/or machine and/or materials.

⁽³⁾GB Patent-No. GB2382544. All prices exclude VAT.

Grinding Heads for angle grinders



HF 850C Precision Grinding Head



Why buy me:

- Fine grinding • Clean, smooth surface • Long life • Fast
- SilentMAX noise and vibration reduced

Application:

- Precision Grinding • Fine Grinding • Levelling • Cleaning • Edge Grinding



Concrete



Natural stone



Plaster



Tile adhesive



Granite

| | Speed ⁽²⁾ | Life ⁽²⁾ |
|---|----------------------|---------------------|
| A | A | A |
| B | | |
| C | | |
| D | | |
| E | | |
| F | | |
| G | | |

| Part Number | Description | Ø | Fitting | Machine Type |
|---------------|----------------|--------|----------|------------------------|
| 1993.0100.14C | | 100mm | M14 | |
| 1993.0100.22C | | 100mm | 22,23 mm | |
| 1993.0115.22C | Angle Grinders | 115 mm | 22,23 mm | For all Angle Grinders |
| 1993.0125.22C | | 125 mm | 22,23 mm | |
| 1993.0180.22C | | 180 mm | 22,23 mm | |

HU 850 for Universal Applications, Concrete & Granite




Why buy me:

- Extreme long life • Extreme speed • Universal

Application:

- Leveling • Grinding • Cleaning



Concrete (hard)



Render & plaster (soft)



Tile adhesive



Granite

| | Speed ⁽²⁾ | Life ⁽²⁾ |
|---|----------------------|---------------------|
| A | A | A |
| B | | |
| C | | |
| D | | |
| E | | |
| F | | |
| G | | |

| Part Number | Description | Ø | Fitting | Machine Type |
|--------------|--------------------|--------|----------|--------------------|
| 1990.0115.22 | | 115 mm | 22,23 mm | All Angle Grinders |
| 1990.0125.22 | For Angle Grinders | 125 mm | 22,23 mm | All Angle Grinders |
| 1990.0180.22 | | 180 mm | 22,23 mm | All Angle Grinders |

⁽¹⁾For further Segment height information see page 2. ⁽²⁾Product recommendations may vary according to user and/or machine and/or materials.

⁽³⁾GB Patent-No. GB2382544. All prices exclude VAT.

Grinding Heads angle grinders



HU 350 U for Universal Applications


Why buy me:

- Universal • Long life

Application:


- For standard grinding applications



Concrete

Render & plaster
(soft)

Tile adhesive



| Part Number | Description | Ø | Fitting | Machine Type |
|--------------|----------------|--------|----------|--------------------|
| 1981.0115.22 | Concrete | 115 mm | 22,23 mm | For all Concrete |
| 1981.0125.22 | Grinders and | 125 mm | 22,23 mm | Grinders and Angle |
| 1981.0180.22 | Angle Grinders | 180 mm | 22,23 mm | Grinders |

HU 350 A for Longlife


Why buy me:

- Long life

Application:


- For standard grinding applications (long life)



Concrete

Render & plaster
(soft)

Tile adhesive



| Part Number | Description | Ø | Fitting | Machine Type |
|--------------|----------------|--------|----------|--------------------|
| 1985.0115.22 | Concrete | 115 mm | 22,23 mm | For all Concrete |
| 1985.0125.22 | Grinders and | 125 mm | 22,23 mm | Grinders and Angle |
| 1985.0180.22 | Angle Grinders | 180 mm | 22,23 mm | Grinders |

⁽¹⁾For further Segment height information see page 2. ⁽²⁾Product recommendations may vary according to user and/or machine and/or materials.

⁽³⁾GB Patent-No. GB2382544. All prices exclude VAT.

